




FRIONOR solid ice machine

Production 32 kg / 24h R4032



Small footprint Low water consumption Flexible nozzles to prevent rapid limescale formation Attractiveness and price

This professional ice maker has been designed for the hotel and restaurant sector: bars, restaurants, pubs... Its small size will be its undeniable asset while guaranteeing a good production capacity: 32kg/24h. Its flexible nozzles prevent the formation of fast limescale, guaranteeing translucent ice cubes and ensuring optimum service. Depending on the hardness of the water, we recommend an anti-limestone filter upstream to prolong the durability of the machine.



Technical Specifications

TYPE OF INSTALLATION	BUILT-IN
	DUILITIN
MEASUREMENT DIMENSIONS (MM)	
TYPE DE GLAÇONS	
ADJUSTABLE FEET	
BODYWORK	stainless steel
PRODUCTION NB/ICE CUBES PER CYCLE	24/ cycle
PROD. CAPACITY IN 24H (KG)	32
STORAGE CAPACITY (KG)	15
COOLING	AIR
ICE PRODUCTION SYSTEM	Injection system
WATER CONSUMPTION (APPROX)	
ROOM TEMPERATURE (°C)	
WATER TEMPERATURE (C°)	
POWER SUPPLY	230 V – 50Hz
CONSUMPTION (WH)	
GROUNDED OUTLET	Mandatory
REFRIGERANT FLUID	R290
WEIGHT (KG)	

To discover more about this product, scan this QR code.





